2008 Pediatric Nutrition Surveillance (1)

Wisconsin

Comparison of Racial and Ethnic Distribution by Metro Area Children Aged < 5 Years (2)

Page: Run Date: 3 / 13 / 09

	Comparison of Racial and Ethnic Distribution by Metro Area											
Metro Area	Number Included in Analysis (3)	cluded in Hispanic Hispanic		Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %				
Dane Cty	7,350	27.5	21.5	36.0	0.2	7.1	7.8	0.0				
Mil. Cty	38,270	11.5	48.4	31.9	0.2	3.9	4.0	0.0				
Racine	5,568	25.5	26.2	39.4	0.1	0.3	8.1	0.3				
Rest of WI	78,460	64.6	3.1	19.4	2.7	4.6	5.4	0.0				
Wisconsin	129,648	45.1	18.5	24.9	1.7	4.4	5.2	0.0				
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7				

Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by Metro Area Children Aged < 5 Years (2)

Comparison of Age Distribution by Metro Area										
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %						
Dane Cty	7,350	36.1	21.8	42.1						
Mil. Cty	38,270	34.1	22.0	43.9						
Racine	5,568	38.1	19.4	42.5						
Rest of WI	78,460	35.2	20.9	43.9						
Wisconsin	129,648	35.0	21.2	43.8						
Nation (Prior Year)	7,995,600	37.6	22.1	40.3						



Page:

Run Date:

3 / 13 / 09

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2008 Pediatric Nutrition Surveillance Wisconsin (1)

Page: 1 Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

		Comp	arison of	Growth	and Ane	emia In	dicators	by Met	ro Area	(3,4)		-		
Metro Area		Birthweight (5)				Height and Weight								
		Low	High		Short Stature (6)	Under weigh			≥ 2 Yrs Over- weight ₍₇₎		Low	nemia Hb/Hct (8)		
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)		
Dane Cty	1,882	7.5 (1)	8.4 (3)	7,140	4.5 (1)	3.1 (1)	12.6 (1)	3,064	12.2 (1)	10.2 (1)	5,132	11.0 (3)		
Mil. Cty	9,538	9.6 (3)	5.9 (1)	37,407	5.9 (4)	4.1 (4)	13.4 (3)	16,518	16.5 (3)	14.3 (4)	26,952	17.8 (4)		
Racine	1,461	11.0 (4)	6.8 (2)	5,375	5.1 (2)	3.3 (3)	13.4 (3)	2,298	15.7 (2)	13.0 (2)	3,921	10.9 (2)		
Rest of WI	19,059	7.8 (2)	8.4 (3)	76,847	5.4 (3)	3.2 (2)	13.2 (2)	33,995	16.6 (4)	13.6 (3)	55,614	7.7 (1)		
Wisconsin	31,940	8.5	7.6	126,769	5.5	3.5	13.3	55,875	16.3	13.6	91,619	11.0		
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	5 6.2	4.5	13.9	3,058,13	30 16.4	14.9	4,759,588	3 15.0		

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

Table 7G 2008 Pediatric Nutrition Surveillance (1) Wisconsin

Page: Run Date:

3 / 13 / 09

(2) Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area Children Aged < 5 Years (3)

	Compa	arison of	Breas	tfeeding,	, TV Vi	ewing, aı	nd Sm	oking ir	n F	Househ		letro Are	a			
			Breastfe	eeding 5)			Exclusive Breastfeeding (6) <pre></pre>					Smoking in Household				
Metro Area	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	r % Breastfed At Least 3 Months		Number	er % Breastfed At Least 6 Months	Number	%	Number	%	D
		(Rank)		(Rank)		(Rank)		(Rank)			(Rank)		(Rank)		(Ra	nk)
Dane Cty	1,885	76.7 (1)	890	45.1 (1)	1,170	22.8 (1)	737	19.4 (1)		804	10.9 (1)	3,306	84.7 (1)	7,200	5.9	(1)
Mil. Cty	9,561	61.8 (3)	3,933	24.1 (3)	6,142	11.9 (2)	2,593	9.3 (4)	1	3,695	3.1 (4)	17,901	78.4 (4)	37,740	11.6	(4)
Racine	1,456	59.2 (4)	559	22.2 (4)	786	10.3 (4)	413	11.9 (3)	1	541	4.1 (3)	2,510	79.5 (3)	5,404	9.4	(3)
Rest of WI	19,083	65.1 (2)	8,581	27.0 (2)	11,764	11.6 (3)	6,417	18.1 (2)	1	7,923	7.6 (2)	36,702	83.3 (2)	77,606	8.4	(2)
Wisconsin	31,985	64.6	13,963	27.1	19,862	12.3	10,160	15.7		12,963	6.3	60,419	81.8	127,950	9.	3
Nation (Prior Year)	1,747,0	04 59.8	874,434	25.4	979,105	5 17.5	127,047	7 10.2		182,064	5.2	687,613	75.0	3,047,30	8 11.3	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2006 - 2008 Pediatric Nutrition Surveillance Wisconsin (1)

Page: 1 Run Date: 3 / 13 / 09

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

		Comp	arison of	Growth	and Ane	emia Ind	dicators	by Metr	o Area	(3,4)		
Metro Area		Birthweight			A							
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)
Dane Cty	5,489	8.1 (2)	8.5 (4)	20,124	5.0 (1)	2.9 (1)	12.6 (2)	8,552	13.3 (1)	11.1 (1)	14,393	10.6 (3)
Mil. Cty	28,429	9.9 (4)	5.9 (1)	108,344	5.8 (4)	4.3 (4)	12.5 (1)	47,192	16.2 (2)	13.7 (4)	77,094	17.4 (4)
Racine	4,099	9.8 (3)	6.8 (2)	15,046	5.4 (2)	3.0 (2)	13.3 (4)	6,394	16.6 (4)	13.3 (3)	10,689	10.5 (2)
Rest of WI	56,124	7.9 (1)	8.4 (3)	221,834	5.5 (3)	3.4 (3)	12.6 (2)	97,019	16.5 (3)	13.2 (2)	158,461	7.8 (1)
Unknown Metro A.	0	* *	* *	40	* *	* *	* *	21	* *	* *	33	* *
Wisconsin	94,141	8.6	7.6	365,388	5.5	3.6	12.6	159,178	16.2	13.3	260,670	10.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7G 2006 - 2008 Pediatric Nutrition Surveillance (1)

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area <2 Hours TV Smoking in **Exclusive Breastfeeding** Breastfeeding Viewing/Day Household (5) (6)(7) Number % **Metro Area** Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) Dane Ctv 75.5 (1) 3.908 38.3 (1) 3.757 22.5 (1) 3.403 13.9 (1) 3.269 9.205 84.3 (1) 11.789 6.010 9.5 (1) 7.3 (1) Mil. Cty 29,876 19,463 20,084 11.9 (2) 17,111 6.3 17,155 51,101 77.5 (3) 59,862 61.0 (3) 21.2 (3) (4) 2.8(4)14.1 (4) 2,511 Racine 4,363 58.5 (4) 2,742 18.3 (4) 2,618 10.3 (4) 7.1 (3)2,468 3.4 (3) 6.928 77.5 (3) 8.490 10.7 (3) Rest of WI 60.856 65.0 (2) 40.070 22.6 (2) 39.250 11.6 (3) 36.253 12.7 (2) 35.318 6.0(2)104.786 83.1 (2) 126.135 10.3 (2) 0 2 2 0 2 21 30 Unknown Metro A. Wisconsin 101,105 64.2 66,185 22.9 65,711 12.2 59,278 10.7 58,212 5.1 172,041 81.3 206,306 11.3



Page:

(2)

Run Date:

3 / 13 / 09

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.